



Denise Bickel DVM

Foals:

Please note foals from unvaccinated mares are unusual in our practice, so that schedule is not listed below. A foal from a mare that is unvaccinated or has an unknown history is a high-risk situation and needs a special vaccination program designed by a veterinarian*

We do not recommend giving more than 2 combination vaccines (4 way, 5 way, etc) or 3 individual vaccines at one time due to the serious risk of vaccine reactions

We do not recommend the IM strangles vaccines due to vaccine reactions. We only use the Intranasal (IN) strangles vaccine. We highly recommend that the strangles vaccine be administered by a veterinarian as there is a risk of cross-contamination and infection.

4-6 months old:

1st dose Tetanus
1st dose EEE, WEE, VEE
1st dose Rhino and Flu

6 months of age

1st dose rabies
1st dose West Nile
1st dose Potomac Horse Fever
2nd dose tetanus, 4-6 weeks after first
2nd dose EEE, WEE, VEE 4-6 weeks after first
2nd dose Rhino and Flu 4-6 weeks after first

7-8 months of age

2nd dose rabies
2nd dose West Nile
2nd dose PHF

9 months of age

1st intranasal strangles

10-11 months of age

2nd intranasal strangles 4-6 wks after 1st
3rd tetanus
3rd EEE, WEE, VEE
3rd Rhino/Flu

12 months of age

3rd dose Rabies
3rd dose West Nile
3rd dose PHF
3rd dose IN strangles